

JACK N' JILL


CERTIFICATE OF ANALYSIS

DATE: 18 November 2015
PRODUCT: Jack & Jill Natural toothpaste – Flavor Free
PRODUCT CODE: 94-003685
BULK BATCH NO: 001
PACKAGED AS (B) 001 EXP: 2018 09 28
DATE OF MANUFACTURE: 28/09/2015
CLIENT: Jack & Jill
PACK SIZE: 50g
QUANTITY: 18,144 units

<u>TEST</u>	<u>SPECIFICATION</u>	<u>RESULT</u>	<u>TEST METHOD</u>	<u>ANALYST</u>
Appearance	Translucent gel free from lumps, foreign matter or air bubbles.	Complies	JC-ATM-008-02	Jalco Hornsby
Odour	To match standard	Complies	JC-ATM-009-00	Jalco Hornsby
Taste	pleasant	Complies	JC-ATM-076-00	Jalco Hornsby
Viscosity RVT TE @10rpm, 24hrs	130,000 to 300,000cps @ 25°C	150,000	JC-ATM-006-03	Jalco Hornsby
pH	4.5 to 5.7	5.4	JC-ATM-002-00	Jalco Hornsby

<u>MICROBIOLOGICAL</u>	<u>PACKED LINE SAMPLES</u>	<u>RESULTS</u>	<u>TEST METHOD</u>	<u>ANALYST</u>
Total Plate Count	<10000 cfu/ g	10000 cfu/g	JC-MTM-003-00	Jalco Hornsby
Yeast & Mould	<100 cfu/g	<100 cfu/g	JC-MTM 004-00	Jalco Hornsby
Bile tolerant gram negative bacteria	<100 cfu/g	<100 cfu/g	JC-MTM 021-00	Jalco Hornsby
<i>Escherichia coli</i>	Not Detected/g	ND/g	JC-MTM 009-02	Jalco Hornsby
<i>Salmonella</i>	Not Detected /25g	ND/25g	JC MTM 012-01	Jalco Hornsby

All batch documents have been reviewed and the above tests have been carried out.
Based on our assessment of the above, this batch is released for sale



Bahareh Loni Ahourdan
Microbiology and Quality Control